

5. REFERENCES

Barker Co. 2000. Wick Safety: The Facts About Zinc and Tin Cored Wicks.

http://www.barkerco.com/wick_safety.htm, accessed September 4, 2000.

Bernama. Nippon Kodo To Market Environmentally Friendly Incense. The Malaysian National News Agency. June 23, 2000.

Business Wire. 1999. Candles Represent a \$2 Billion Segment in the Giftware Market. January 29, 1999. World Reporter.

Chang HL, Kuo ML, Lin JM. 1997. Mutagenic activity of incense smoke in comparison to formaldehyde and acetaldehyde in *Salmonella typhimurium* TA102. *Bulletin of Environmental Contamination and Toxicology*, 58:394-401.

Chao CYH, Tung TCW, Burnett J. 1998. Influence of different indoor activities on the indoor particulate levels in residential buildings. *Indoor and Built Environment*, 7(2):110-121.

Chemglobe. 2000. Tin. http://www.vcs.ethz.ch/chemglobe/ptoe/_/50.html, accessed September 1, 2000.

Chen CJ, Wu HY, Chuang YC, Chang AS, Luh KT, Chao HH, Chen KY, Chen SG, Lai GM, Huang HH, Lee HH. 1990. Epidemiologic characteristics and multiple risk factors of lung cancer in Taiwan. *Anticancer Research*, 10(4):971-976.

Cheng YS, Bechtold WE. 1995. Incense smoke: characterization and dynamics in indoor environments. *Aerosol Science and Technology*, 23:271-281.

Dawod ST, Hussain AA. 1995. Childhood asthma in Qatar. *Annals of Allergy, Asthma, & Immunology*, 75(4):360-4.

Eco-USA.net. 2000. *Zinc*. <http://www.eco-usa.net/toxics/zinc.html>, accessed September 6, 2000.

Environmental Defense Fund. *Chemical Profile for 2-METHYL-1,3-BUTADIENE (CAS Number: 78-79-5)*. http://www.scorecard.org/chemicalprofiles/summary.tcl?edf_substance_id=78-79-5, accessed September 1, 2000.

EPA 2000a. Integrated Risk Information System (IRIS). Substance file- benzene.

Washington, D.C.: National Center for Environmental Assessment.

<http://www.epa.gov/ngispgm3/iris/subst/0276.htm>, accessed August 31, 2000.

EPA 2000b. Carbon Monoxide (CO). <http://www.epa.gov/iaq/co.html>, accessed September 6, 2000.

European Candle Association. 1997. Determining and Evaluating the Emissions of PCDD/PCDF, PAH and Short-Chain Aldehydes in Combustion Gases of Candles. Oekometric GmbH, Bayreuth, Germany.

Fine PM, Cass GR, Simoneit BRT. 1999. Characterization of fine particle emissions from burning church candles. *Environmental Science and Technology*, 33:2352-2362.

Fort Worth Star-Telegram. 1999. San Francisco Analyst Predicts Continued Growth for Candle Industry. November 27, 1999. Knight-Ridder/Tribune Business News.

Huynh CK, Savolainen H, Vu-Duc T, Guillemin M, Iselin F. 1991. Impact of thermal proofing of a church on its indoor air quality: the combustion of candles and incense as a source of pollution. *Science of the Total Environment*, 102:241-251.

Koo, LC. 1994. Carcinogens in the indoor air of Hong Kong homes: levels, sources, and ventilation effects on 7 polynuclear aromatic hydrocarbons. *Environmental Technology*, 15(5):401-418.

Krause D. 1999. Black soot and candles: new research and case studies. *Indoor Environment '99 Proceedings*. pp 157-164. IAQ Publications, Inc., Bethesda, MD.

Lau C, Fiedler H, Hutzinger O, Schwind KH, Hosseinpour J. 1997. Levels of selected organic compounds in materials for candle production and human exposure to candle emissions. *Chemosphere*, 34(5-7):1623-1630.

Li W, Hopke PK. 1993. Initial size distributions and hygroscopicity of indoor combustion aerosol particles. *Aerosol Science and Technology*, 19(3):305-316.

Liu Q, Sasco AJ, Riboli E, Xuan Hu M. 1993. Indoor air pollution and lung cancer in Guangzhou, People's Republic of China. *American Journal of Epidemiology*, 137(2):145-154.

Löfroth G, Stensman C, and Brandhorst-Satzkorn M. 1991. Indoor sources of mutagenic aerosol particulate matter: smoking, cooking, and incense burning. *Mutation Research*, 261: 21-28.

Lowengart RA, Peters JM, Cicioni C, Buckley J, Bernstein L, Preston-Martin S, Rappaport E. 1987. Childhood leukemia and parents' occupational and home exposures. *Journal of the National Cancer Institute*, 79(1):39-46.

Mannix RC, Nguyen KP, Tan EW, Ho EE, Phalen RF. 1996. *Physical Characterization of Incense Aerosols. Science of the Total Environment*, 193:149-158.

National Candle Association. 1999. *1999-2000 Directory of Members*. National Candle Association, Washington, DC.

Nriagu JO, Kim MJ. 2000. Emissions of lead and zinc from candles with metal-core wicks. *Science of the Total Environment*, 250:37-31.

Packaged Facts. 1999. *Home Fragrances, The Market (1999)*. Information Resources, Inc., Chicago, IL.

Preston-Martin S, Yu MC, Benton B, Henderson BE. 1982. N-nitroso compounds and childhood brain tumors: a case-control study. *Cancer Research*, 42(12):5240-5.

Rasmussen RE. 1987. Mutagenic activity of incense smoke in *Salmonella typhimurium*. *Bulletin of Environmental Contamination and Toxicology*, 38(5):827-833.

Roveri P, Andrisano V, Di Pietra AM, Cavrini V. 1998. GC-MS analysis of incenses for possible presence of allergenic nitromusks. *Journal of Pharmaceutical and Biomedical Analysis*, 17:393-398.

Sato S, Makino R, Takahashi Y, Sugimura T, Miyazaki T. 1980. Mutagenicity of smoke condensates from joss sticks. *Mutant Research*, 77:31-36.

Schwind and Hosseinpour. 1994. Analysis of Raw-Materials and Candle Combustion Products. Published by Oekometric GmbH, Bayreuth, Germany, for the Association of German Candle Manufacturers, Inc., Frankfurt, Germany.

Sobel HL, Lurie P, Wolfe SM. 2000a. Letter: lead exposure from candles. *Journal of the American Medical Association*, 284(2):180.

Sobel HL, Wolfe SM, Lurie P. 2000b. Petition to the Consumer Product Safety Commission to Immediately Ban and Recall All Candles With Lead-Containing Wicks, Candles in Metal Containers That Contain Lead, and Wicks Sold For Candle-Making That Contain Lead. Public Citizen's Health Research Group, Washington, DC. February 24, 2000. www.citizen.org/hrg/publications/1510.htm, accessed June 30, 2000.

Stephen FD, Stineman CH, Jonmarie PW, Kelly DW. Risk Analysis of Candle Emissions. http://www.litigation.support.ene.com/candle_emissions.htm, accessed November 17, 2000.

Supermarket News. Elson, Joel. With Aroma therapy Gaining Acceptance as An Aspect of Home Fashion, Sales of Scented Candles Are Lighting Up Supermarkets' Cash Registers. Supermarket News, p43(1). Fairchild Publications, Inc. February, 8, 1999.

The Freedonia Group, Inc. Waxes to 2003. The Freedonia Group, Inc., Cleveland, OH. December 1999.

Tung TCW, Chao CYH, Burnett J, Pang SW, Lee RYM. 1999. A territory wide survey on indoor particulate level in Hong Kong. *Building and Environment*, 34(2):213-220.

Ungers and Associates. Determination of Lead Releases from Candles with Zinc-Core Wicks. http://www.barkerco.com/wick_safety.htm, accessed September 1, 2000.

Unity Marketing. 2000. Candle Report: The Market, The Industry, The Trends. Unity Marketing, Stevens, PA.

US Census Bureau. 1997 Economic Census, Manufacturing, Industry Series. October, 1999. EC97M-3399R.

van Alphen M. 1999. Emission testing and inhalational exposure-based risk assessment for candles having Pb metal wick cores. *The Science of the Total Environment*, 243/244: 53-55.

Vigil, F. 1998. Black stains in houses: soot, dust, or ghosts? *Home Energy*, 15(1):15.

Wallace L. 2000. Real-time monitoring of particles, PAH, and CO in an occupied townhouse. *Applied Occupational Environmental Hygiene*, 15(1):39-47.

Yang CY, Chiu JF, Cheng MF, Lin MC. 1997. Effects of indoor environmental factors on respiratory health of children in a subtropical climate. *Environmental Research*, 75(1):49-55.